



LW-Z5000PX



Strong • Straightforward • Sensible

Design and print the labels you need anywhere you need them. With Epson's LW-Z5000PX you design your labels using our free Label Editor software or mobile apps (unlimited licenses included), and send them to print with just a click. Use all of your existing LABELWORKS PX cartridges or print high-volume batches up to 2" wide (50mm) using our new 147' (45 m) bulk rolls.

Designed for use in the office or on the go, the LW-Z5000PX gives you the power of a stationary printer in a highly-portable label printing solution.



FEATURES AND FUNCTIONS

Software Compatible

Use Epson's Label Editor software to create labels for your entire workplace. Print images, bar and QR codes, tables and logos. Batch print by importing spreadsheets.



Automatic Half-Cut

The LW-Z5000PX comes with replaceable automatic cutters for optimal efficiency. Choose between half and full-cut for your desired project. Half-cut slices the label, but not the backing, and full-cut cuts both. Customize for YOUR needs!




Save Time

LW-Z5000PX offers a quick, one-step loading process by using cartridges instead of separate ribbon and tape rolls. Just drop and click and the machine is ready to print!



Connect to the LW-Z5000PX using a USB cable directly to your computer, or choose between Wireless and Wired LAN for multiple users either with Label Editor software, or the Epson iLabel and Epson Datacom apps.



Save 30% or more with Bulk Supplies*

Print on continuous rolls up to 147' long (47m) or die cut rolls with up to 2700 labels. Keep your bulk batches neat and organized with the automatic winder *(optional)*.

SAVE on supplies - LW-Z5000PX has an incredibly LOW Total Cost of Ownership in comparison to competitors





TAPE LINEUP

LABELWORKS PX Z5000PX

Industry-Leading Savings • Industry-Leading Warranty

MORE SIZES, MORE COLORS

For All Your Industrial Labeling Needs













INDUSTRIAL TAPES - 30'

1/6" 4mm	BLACK on white	BLACK on yellow (Limited Supply)									
1/4"	204BWPX BLACK	204BYPX BLACK	BLACK	WHITE	BLACK	BLACK	BLACK				-
6mm	on clear	on white	on yellow	on black	on green	on blue	on red				
	206BCPX	206BWPX	206BYPX	206WBPX	206BGPX	206BBPX	206BRPX				
3/8" 9mm	BLACK on clear	BLACK on white	BLACK on yellow	WHITE on black	BLACK on green	BLACK on blue	BLACK on red				
	209BCPX	209BWPX**	209BYPX**	209WBPX	209BGPX	209BBPX	209BRPX				
1/2" 12mm	BLACK on clear	BLACK on white	BLACK on yellow	WHITE on black	BLACK on green	BLACK on blue	BLACK on red	BLACK on orange	WHITE on clear	WHITE on vivid red	WHITE on vivid green
	212BCPX	212BWPX**	212BYPX**	212WBPX	212BGPX	212BBPX	212BRPX	212BOPX	212WCPX	212WRPX	212WGPX
3/4" 18mm	BLACK on clear	BLACK on white	BLACK on yellow	WHITE on black	BLACK on green	BLACK on blue	BLACK on red	BLACK on orange	WHITE on clear	WHITE on vivid red	WHITE on vivid green
	218BCPX	218BWPX**	218BYPX**	218WBPX	218BGPX	218BBPX	218BRPX	218BOPX	218WCPX	218WRPX	218WGPX
1" 24mm	BLACK on clear	BLACK on white	BLACK on yellow	WHITE on black	BLACK on green	BLACK on blue	BLACK on red	BLACK on orange	WHITE on clear	WHITE on vivid red	WHITE on vivid green
	224BCPX	224BWPX**	224BYPX**	224WBPX	224BGPX	224BBPX	224BRPX	224BOPX	224WCPX	224WRPX	224WGPX
1 1/2" 36mm	BLACK on clear	BLACK on white	BLACK on yellow	WHITE on black	BLACK on green	BLACK on blue	BLACK on red	BLACK on orange	WHITE on vivid red	WHITE on vivid green	WHITE on vivid blue
	236BCPX	236BWPX**	236BYPX**	236WBPX	236BGPX	236BBPX	236BRPX	236BOPX	236WRPX	236WGPX	236WLPX

BLACK

250BYPX** 250BGPX 250BBPX 250BRPX

BLACK



WHITE on clear	WHITE on vivid red	WHITE on vivid green	WHITE on vivid blue	GOLD on clear	GOLD on black	BLACK on white removable adhesive	RED on white
212WCPX	212WRPX	212WGPX	212WLPX	212GCPX	212GBPX	212RAPX	212RWPX
WHITE on clear	WHITE on vivid red	WHITE on vivid green	WHITE on vivid blue	WHITE on vivid orange (Limited Supply)	BLACK on violet	BLACK on translucent matte (Limited Supply)	
218WCPX	218WRPX	218WGPX	218WLPX	218WOPX	218BVPX	218BTMPX	
WHITE on clear	WHITE on vivid red	WHITE on vivid green	WHITE on vivid blue				-
224WCPX	224WRPX	224WGPX	224WLPX				
WHITE	WHITE	WHITE		•			

BI ACK

250BWPX**

BL ACK

on yellov

BLACK

on clear

50mm

POLYESTER 45 m (147.6') L 9 mm (3/8")- 50 mm (2") W	VINYL 45 m (147.6') L 12 mm (1/2")- 50 mm (2") W	Continuous Shrink Tube 15 m (49.2') L	Bulk Ladder Shrink Tube	VINYL Continuous Self-Laminating Overwrap 45 m (147.6') L	VINYL Self Lami- nating Overwrap Die Cut
B209BWPX*	B212VTBWPX*	B203STBWPX*	BL203STBWX25PX	B224VSLPX*	BVSL13X19PX
B209BYPX*	B212VTBYPX*	B203STBYPX*	500 Tubes - 3 mm (1/8") W	B236VSLPX*	2700 Labels
B212BWPX*	B218VTBWPX*	B208STBWPX*	25 mm (0.98") L/ea.		13 mm x 19 mm (.5"x.75") ea.
B212BYPX*	B218VTBYPX*	B208STBYPX	BL203STBYX25PX		BVSL13X38PX
B218BWPX*	B224VTBWPX*		500 Tubes - 3 mm (1/8") W		2700 Labels
B218BYPX*	B224VTBYPX*		25 mm (0.98") L/ea.		13 mm x 38 mm (.5"x1.5") ea.
B224BWPX*	B236VTBWPX*		BL208STBWX35PX		BVSL25X38PX
B224BYPX*	B236VTBYPX*		400 tubes - 6 mm (1/4")W		1500 Labels
B236BWPX*	B250VTBWPX*		35 mm (1.38") L/ea.		25 mm x 38 mm (1"x1.5") ea.
B236BYPX*	B250VTBYPX*		BL208STBYX35PX		BVSL38x38PX
B250BWPX*			400 tubes - 6 mm (1/4")W		1000 Labels
B250BYPX*			35 mm (1.38") L/ea.		38 mm x 38 mm (1.5"x1.5") ea.

Magnetic Tape - 4.9'

		Black	Black	Black	Black	Black
E 0 1		on white	on yellow	on red	on blue	on green
	12mm (1/2")	212MTBWPX-4.9	212MTBYPX-4.9	212MTBRPX-4.9	212MTBBPX-4.9	212MTBGPX-4.9
	18 mm (3/4")	218MTBWPX-4.9	218MTBYPX-4.9	218MTBRPX-4.9	218MTBBPX-4.9	218MTBGPX-4.9
7	24mm (1")	224MTBWPX-4.9	224MTBYPX-4.9	224MTBRPX-4.9	224MTBBPX-4.9	224MTBGPX-4.9
	36mm (1 1/2")	236MTBWPX-4.9	236MTBYPX-4.9	236MTBRPX-4.9	236MTBBPX-4.9	236MTBGPX-4.9
	50mm (2")	250MTBWPX-4.9				-

218IBYPX

224IBYPX

Strong Adhesive - 30'

A 7 2		Black
100		on white
100	9mm (3/8")	209IBWPX
	12mm (1/2")	212IBWPX
2700	18mm (3/4")	218IBWPX
7	24mm (1")	224IBWPX
100 1	36mm (1-1/2")	236IBWPX
8 /	50mm (2")	250IBWPX

Silver Matte - 30'

		Black
3		on silver matte
465	9mm (3/8")	209SMPX
184	12mm (1/2")	212SMPX
	18mm (3/4")	218SMPX
	24mm (1")	224SMPX
	36mm (1-1/2")	236SMPX

Compliance Standards: UL Standard 224 (Related Temperature: 125°C, Rated Voltage: 300V, Flame Resistance Grade VW-1) Shrink Tube - 96"



	AWG	Black on red	Black on yellow	Black on white	Black on green	Black on blue	White on black
1/8"	14-22		203B20BYPX**	203B20BWPX**			
1/8"	16-22		203STBYPX	203STBWPX			
3/16"	8-12	205STBRPX	205STBYPX	205STBWPX			205STWBPX
3/16"	10-20				205STBGPX	205STBBPX	
1/4"	6-18			208B20BWPX**			
1/4"	10-20		208STBYPX	208STBWPX			
3/8"	4-12			210STBWPX			
1/2"	2-8	211STBRPX	211STBYPX	211STBWPX			211STWBPX
9/16"	0-5		214STBYPX	214STBWPX			
7/8"	0000-1		221STBYPX	221STBWPX			

Polyolefin Shrink Tube Cartridge Color & Sizes, Length=96". B20 Length=98"

Self-Laminating Overwrap

40	*
	A048
	A049

NEW! 224VSLPX**	1/4" (24mm) Vinyl Black on white 3/4" Clear Tail (26')
NEW! 236VSLPX**	1/2" (36mm) Vinyl Black on
	white 1" Clear Tail (26')

Wire wrap tape prints on white area and has clear tail to overlap printed material.

NEW! Vinyl Tape - 22.9'

		Black	Black
		on white	on yellow
INITAR	12mm (1/2")	212VTBWPX**	212VTBYPX**
CAUTION	18mm (3/4")	218VTBWPX**	218VTBYPX**
	24mm (1")	224VTBWPX**	224VTBYPX**
7	36mm (1-1/2")	236VTBWPX**	236VTBYPX**
	50mm <i>(2")</i>	250VTBWPX**	250VTBWPX**

Fluorescent - 30'

Black on fluorescent	Black on fluorescent	Black on fluorescent	Black on fluorescent	Black on fluorescent
red 18 mm (3/4")	pink 18 mm (3/4")	orange 18mm (3/4")	yellow 18 mm (3/4")	green 18 mm (3/4")
218FRPX	218FPPX	218FOPX	218FYPX	218FGPX

Reflective Tape - 4'9"



224RFWPX | 1" Black on Reflective white Limited Supply

* indicates that supply is also available in standard cartridges ** indicates that supply is also available in bulk roll

SPECIFICATIONS



Model Number	LW-Z5000PX
Printing	
Technology	Thermal Transfer
Tape Width	4-50mm
Resolution	300 dpi
Printer head width	52.15 mm
Max Print Speed	50mm / sec with AC Adapter and select supplies
Store and Print Images	n/a
Print Settings	
Repeat Printing	Yes
Auto Increment	Yes
Data Import	Yes
Number Serialization	Up to 4 alpha-numeric characters
Mirror Printing	Yes
Vertical Printing	Yes
Mix Length	Yes
Margins	Minimum 5mm lead on standard industrial tapes
Fixed Length	Auto / Custom
Cable Wrap	Yes
Flag	Yes
QR Code	Yes
Barcodes	15 types: EAN 8, EAN 13, Code 39, Code 128, UPC-A, UPC-E, ITF, CodaBar, QR Code,
	NW-7 (CodaBar), EAN-128 (GS1-128), GS1 DataBar, MaxiCode, PDF417, DataMatrix
Symbols	859 industrial and professional symbols
Hardware	
Cutter	Automatic with half-cut and full-cut function
Detection	Cover open, material type and color, width, tape end, tape remaining, die cut size, overheat,
	suitability for cut, density, print speed, die cut size, auto power off
Replaceable Cutter	Yes - Half and Full
Connectivity	
Interface	USB, Wireless LAN, Wired LAN
Apps to be downloaded	iLabel and Datacom for iOS 9.0 and later and Android 5.0 and later
Software to be Downloade	Epson Label Editor: Windows 7, 8, 8.1, 10
Other Information	
AC Adapter	Yes





LW-Z5000PX Standard Kit

- LW-Z5000PX Printer
- 250VTBWPX Tape Cartridge
- USB Cable
- AC Adapter
- Bulk Supply Stand
- Label Editor Software Download
- Quick Start Guide



LW-Z5000PX Professional Kit

- LW-Z5000PX Printer
- Automatic Bulk Tape Rewinder
- 250VTBWPX Tape Cartridge
- Bulk Supply Stand
- USB Cable
- AC Adapter
- Label Editor Software Download
- Quick Start Guide

© 2020 Epson LABELWORKS PX. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Bulk up and Save!

n/a

Save 30% or more with NEW Bulk Supplies*

*compared to standard length cartridges.

Battery

Dealer's Stamp

Information correct as of August 2020